

Case Study

Los Angeles Athletic Club

Los Angeles, CA




For more than 125 years, The Los Angeles Athletic Club has offered premium, upscale services to its members from the heart of Downtown L.A. The private club includes state-of-the-art athletic and spa facilities, award-winning restaurants, bars, luxury meeting, conference, and hotel rooms, and an array of social, business, and athletic events.




The entrance of the club creates its first impression, and when the club decided to renovate, they entrusted EOS Light with the job. They chose the equivalent of our new Deco LightPanels, i.e. use of textured metallic sheets that are backlit with our Outdoor Basic LED LightPanels.



Ten Oversized Basic Outdoor EOS LightPanels in four different sizes were used for uniform coverage to illuminate the decorative, metallic, textured panels.




EOS Light was able to meticulously and precisely custom-fit its Outdoor LightPanels and the metal textures within the T-Grid System of the exterior entrance overhang. This attention to detail is typical of EOS Light installations, for a beautiful fit and finish when the project is concluded.






 Deco Light**Panel**s



► Textured **Deco LightPanel**s Complete LightPanel Solutions

Deco LightPanel's are the latest in a series of complete EOS solutions that are made-to-order at the factory and arrive at a job site ready to install, with no partial assembly required. Just unpack and hang these beautifully-textured, backlit metallic sheets. Custom or standard shapes and finishes. Explore on for inspiration...



Deco LightPanels are LED backlit, real metal texture lighting solutions. Choose one of dozens of seamless, decorative stock patterns, or contact the factory with your own design for a completely custom look. Standard metal finishes include black and white powder coating, unpainted brushed metal, or several colors (see page 10 for options). Non-standard powder coat finishes can also be arranged to match your environment. LED backlighting Kelvin temp options for Deco LightPanels are identical to standard LightPanel systems. Use EOS Deco LightPanels solutions either indoors or outdoors for flat wall, ceiling or overhang applications.

Suited for use in large number of **interior and exterior applications:**



HOSPITALITY



RESIDENTIAL



COMMERCIAL



RETAIL



HEALTHCARE




BRANDING

Deco LightPanels **possibilities are endless.**

Select an available pattern, such as those below, or submit your own entirely unique, custom patterns for added distinction.



ABSTRACT SERIES




A1




A2



A3




A4




A5


CLASSIC SERIES



C1




C2



C3




C4



C5




C6



C7



C8




C9



C10



C11



C12



C13



C12



C13




C14



C15



C16



C17



C18



G1



G2




G3



G4




G5



G6



G7



G8




G9




G10



G11



G12



G13



G14



G15



G16




G17




G18




G19



G20



G21



G22

LINEAR SERIES



L1



L2



L3




L4



L5



L6




L7

MYSTIC SERIES




M1




M2




M3



M4




M5




M6




M7




M8




M9




M10




M11



M12



M13



M14

NATURE SERIES




N1



N2



N3



N4




N5



N6



N7



N8



N9



N10



N11



N12



N13

POP SERIES




P1




P2




P3



P4




P5




P6



P7



P8






P9



Perforated Metals

Classic Round and Honeycomb Styles



Multiple Staggered Arrangments Available

Holes		Spacing		Open Area
Dia - mm	Dia - inches	mm	inches	
5	0.20	2	0.08	46.27%
6	0.24	3	0.12	40.31%
6	0.24	4	0.16	32.65%
8	0.32	3	0.12	47.97%
8	0.32	4	0.16	40.31%
10	0.40	4	0.16	46.27%
10	0.40	5	0.20	40.31%



Colors

All Finishes in Semi-Gloss


BLACK



GOLD



WHITE



WINE



NAVY



COPPER



GREY



NAKED




GRAPHITE



CREAM





eos

www.eoslight.com

350 Crenshaw Blvd., Suite A104, Torrance, CA 90503 | P 310.616.5070 | F 310.616.5056 | info@eoslight.com